PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 5: WO 91/20082 (11) International Publication Number: A1 G11B 31/00 26 December 1991 (26.12.91) (43) International Publication Date: (74) Agent: MUSKAL, James, B.; Leydig, Voit & Mayer, Two (21) International Application Number: PCT/US91/03925 Prudential Plaza, Suite 4900, Chicago, 1L 60601-6780 (22) International Filing Date: 4 June 1991 (04.06.91) (81) Designated States: AT (European patent), AU, BE (Euro-(30) Priority data: pean patent), BR, CA, CH (European patent), DE (Eu-US 15 June 1990 (15.06.90) 538,981 ropean patent). DK (European patent), ES (European patent), FI, FR (European patent), GB (European patent), GR (European patent), HU, IT (European patent), JP, KR, LU (European patent), NL (European patent), (71) Applicant: ARACHNID, INC. [US/US]; 6421 Material Ävenue, Rockford, IL 61132-2901 (US). NO, PL, SE (European patent), SU. (72) Inventors: MARTIN, John, R.; 5635 Nebeshonee Lane, Rockford, IL 61103 (US). TILLERY, Michael, L.; 4919 Spring Brook Road, Rockford, IL 61111 (US). ZAM-Published MUTO, Samuel, N.; 2308 24th Street, Rockford, IL With international search report. . 61108 (US).

(54) Title: SYSTEM FOR REMOTING MANAGING A PLURALITY OF COMPUTER JUKEBOXES AT DIFFERENT LOCATIONS FROM A CENTRALIZED LOCATION

(57) Abstract

A method and apparatus for managing a plurality of computer jukeboxes (30) at different locations, wherein a central control device (CCD) (10) communicates with each computer iukebox (30) via non-dedicated public telephone lines (20). Each computer jukebox (30) includes processor means (32) for controlling the computer jukebox (30), storage and retrieval means (33) for data, displays means (34) for selection menus, audio production means (35) for playing musical recordings, a converter for communicating via non-dedicated public telephone lines (20), and a user interface (36) enabling patrons to communicate with the processor means. The CCD (10) can be used to download musical recording data to each computer jukebox (30), and each computer jukebox (30)



can upload usage data to the CCD (10). The present invention allows for an elimination of routemen usually required to update jukebox recordings and obtain jukebox usage information. Communication between the CCD (10) and the computer jukebox (30) occurs during off-hours of establishments housing the computer jukeboxes (30), thus avoiding interference with the establishments' use of their own phone lines. As an alternative, routemen may physically visit each computer jukebox (30) to load new musical recordings into the memory of each computer jukebox (30) and obtain the computer jukebox usage data from each computer jukebox (30).

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	ES	Spain	MG	Madagascar
AU	Australia	FI	Finland	MI.	Mali
BB	Barbados	FR	France	MN	Mongolia
BE	Belgium	GA	Gabon	MR	Mauritania
BF	Burkina Faso	CB	United Kingdom	MW	Malawi
BG	Bulgaria	GN	Guinea	NL	Netherlands
BJ	Benin	GR	Greece	NO	Norway
BR	Brazil	HU	Hungary	PL	Poland
CA	Canada	ìΤ	Italy	RO	Romania
CF	Central African Republic	JР	Japan	SD	Sudan
CG	Congo	KP	Democratic People's Republic	SE	Sweden
CH	Switzerland		of Korea	SN	Senegal
Ci	Côte d'Ivoire	KR	Republic of Korea	รบ	Soviet Union
CM	Cameroon	LI	Liechtenstein	TD	Chad
CS	Czechoslovakia	LK	Sri Lanka	TG	Togo
DE	Germany	LU	Luxembourg	us	United States of America
DK	Denmark	MC	Monaco		

1

System for Remoting Managing a Plurality of Computer Jukeboxes at Different Locations from a Centralized Location.

FIELD OF THE INVENTION

5

10

25

The present invention relates generally to managing entertainment machines, and more particularly to operating jukeboxes.

BACKGROUND OF THE INVENTION

Heretofore, an assortment of musical recordings found in a jukebox consists of a plurality of records, each record containing a specific recording.

Traditionally, these records are grooved phonograph records. After a patron makes a selection, the selected phonograph record is mechanically removed from a storage rack within the jukebox, and the phonograph record is placed upon a rotating platform. A stylus which is connected to a speaker system is then placed upon the rotating phonograph record, resulting in the phonograph record being played by the jukebox. For each selection, a separate phonograph record must be removed from the storage rack in order to be played by the jukebox.

Conventional jukeboxes have also implemented compact disks as means for creating an assortment of musical recordings. Compact disks provide the improved sound quality made possible by digital

2

recordings. The same technique, however, is used to play compact disks. A separate compact disk corresponding to each selection must be removed from a storage rack in order for the jukebox to play the selection.

Updating conventional jukeboxes is a costly and time consuming task. Routemen must periodically travel to each jukebox location and replace the existing recordings of each jukebox with up-to-date recordings. The existing recordings are no longer used by the jukebox once removed, thus making the conventional method wasteful.

Routemen must also travel to each jukebox location to keep a tally of the number of times each musical recording is selected in order to determine royalty fees. It is known to provide a jukebox with a counter that keeps track of the number of times each musical recording is selected, but routemen must still travel to each jukebox location to obtain this information. Such a process requires an excessive number of people to visit each jukebox location periodically and visually read the information off the counter within each jukebox. Since the number of jukeboxes in operation is quite large, the employment of routemen to obtain such data involves a

PCT/US91/03925 WO 91/20082

3

considerable expense. Furthermore, the ever changing nature of the recording industry requires that such data be gathered frequently in order to keep abreast of a continually changing market.

5

15

OBJECTS AND SUMMARY OF THE INVENTION

Accordingly, it is a primary object of the present invention to provide a method and apparatus for managing a plurality of computer jukeboxes which is capable of eliminating the necessity for routemen to change records in the jukeboxes. The computer jukeboxes store recordings in memory, thus enabling routemen to simply load new recordings into the memory of each computer jukebox.

Another object of the present invention is to eliminate a necessity for routemen by enabling new recordings and selection menus to be downloaded to each computer jukebox via a transmission link. In that regard, it is an object of the present invention 20 to provide a method and apparatus which eliminates the material waste usually associated with updating jukeboxes. Instead of throwing away old recordings and replacing them with new ones, as is the conventional procedure, the present invention 25 eliminates this waste by enabling new recordings to

4

simply be downloaded into the memory of each computer jukebox. The old recordings are simply erased, if necessary.

Another object of the present invention is to

5 provide a method and apparatus which is capable of
remotely obtaining jukebox usage data, thus
eliminating a necessity for routemen to do this task.
The present invention utilizes a computer jukebox,
which as part of its software programming, stores the

10 number of times each musical recording is played and
the number of credits that have been awarded. This
data is uploaded to a central control device via a
transmission link.

An additional object of the present invention is
to provide a method and apparatus utilizing modern
computer technology to digitally store and play
musical recordings. The jukebox of the present
invention is basically a computer having a
sophisticated audio production capability.

A further object of the present invention is to provide a method and apparatus capable of being used with the remote management of jukeboxes via public telephone lines without interfering with establishments' use of their own phone lines. A

25 central control device may only communicate with the

5

jukeboxes during off-hours of the establishments in which the computer jukeboxes are located, thus avoiding interference with the establishments' use of their phone lines during working hours.

other objects, features and advantages of the present invention will be readily apparent from the following description of certain preferred embodiments thereof taken in conjunction with the accompanying drawing, although variations and modifications may be effected without departing from the spirit and scope of the novel concepts of the disclosure.

BRIEF DESCRIPTION OF THE DRAWING

The figure is a block diagram of the preferred embodiment of the present invention illustrating two different locations with a computer jukebox at each location. The block diagram, however, is intended to depict that a plurality of different locations can be connected to a transmission link.

20

While the invention will be described in connection with the preferred embodiment, there is no intent to limit it to that embodiment. On the contrary, the intent is to cover all its alternatives, modifications and equivalents included within the

6

spirit and scope of the invention as defined by the claims.

DESCRIPTION OF THE PREFERRED EMBODIMENTS

Turning now to the drawing, the figure is a block diagram of the preferred embodiment of the present invention. A central control device (CCD) 10 is located remotely from a plurality of computer jukeboxes 30. The CCD 10 is comprised of a computer 10 11 including a modem 12.

The CCD 10 maintains communication with each computer jukebox 30 via a transmission link 20. In the preferred embodiment, the transmission link 20 is a conveniently existing cable system such as the lines of a public or private telephone system or the like. Both the modem 12 of the CCD 10 and a modem 31 of each computer jukebox enable communication to occur via the transmission link 20. The modems convert the signals of the computers into signals that can be transmitted over the transmission link 20. The modems also convert transmission link signals into signals the computers can understand.

Each computer jukebox 30 includes a modem 31, processor means 32, storage and retrieval means 33, display means 34, audio production means 35, and a

user interface 36. The computer jukebox 30 is basically a computer having a sophisticated audio production capability.

The processor means 32 include a microprocessor

which substantially controls the computer jukebox 30.

The software program that directs the computer jukebox

30 is stored in the storage and retrieval means 33.

The storage and retrieval means 33 include a ROM and

an additional large-volume data storage means. The

software for the computer jukebox 30 is stored in the

ROM. Musical recording data and computer jukebox

usage data is stored in the large-volume data storage

means. The large-volume data storage means can

include any of the presently available large-volume

storage devices used by computers.

The display means 34 provide patrons with selection menus from which they can choose recordings to be played by the computer jukebox 30. The display means 34 in the preferred embodiment are a video monitor. The selection menus are stored in the large-volume storage means.

The audio production means 35 enable the digitally stored musical recording to played by the computer jukebox 30. The audio production means 35 include a sophisticated speaker system in combination

8

with a converter capable of producing audio music from digitally stored recordings.

The user interface 36 enables patrons to communicate with the processor means 32. In the preferred embodiment the user interface includes a coin slot mechanism, musical recording selectors, and the like.

In the preferred embodiment, the CCD 10

periodically communicates with each computer jukebox

10 30 via the transmission link 20. During this

communication, the CCD 10 digitally downloads new

musical recording data to each computer jukebox 30.

The musical recording data includes both musical

recordings and new selection menus. Each computer

15 jukebox 30 stores received musical recording data in

its large-volume storage means. Depending upon the

type of large-volume storage means used, a computer

jukebox 30 may erase preexisting musical recording

data to free the necessary memory required to store

the new musical recording data.

Also during communication between the CCD 10 and a computer jukebox 30, the computer jukebox 30 digitally uploads computer jukebox usage data to the CCD 10. Computer jukebox usage data includes the number of times a computer jukebox 30 has been used

PCT/US91/03925

(i.e., the number of awarded credits) and the number of times each specific musical recording has been played. This data enables the CCD 10 to determine how much money a computer jukebox 30 has received and the 5 royalty fees for each musical recording.

The CCD 10 is programmed to communicate with computer jukeboxes 30 during respective off-hours of each establishment housing a computer jukebox 30.

This period of time usually occurs when an establishment is closed. The CCD 10 communicates with the computer jukeboxes 30 during the off-hours so that the transfer of data avoids interfering with the ability of each establishment to use their own phone lines. Furthermore, since the CCD 10 is designed to communicate with the computer jukeboxes 30 during the off-hours, the present invention does not require the use of dedicated phone lines as a transmission link 20.

While the present invention is being described

and illustrated in accordance with the preferred
embodiment enabling new recordings and computer usage
data to be transferred via a transmission link 20, the
new recordings and computer usage data may be manually
transferred by routemen who physically visit each

computer jukebox location. In this embodiment,

10

routemen manually load new recordings into the memory of each computer jukebox 30 and read the computer usage data from each computer jukebox 30. Routemen may simply load the new recordings into the large volume storage means of each computer jukebox 30, or even replace a disposable high density storage medium if the computer jukeboxes 30 utilize such a feature. Such an embodiment still enjoys the advantages made possible by the computer jukeboxes 30.

10

We claim as our invention:

1. A method of managing a plurality of computer jukeboxes, comprising in combination:

providing a plurality of computer jukeboxes,

5 each computer jukebox including processor means for
controlling the computer jukebox, storage and
retrieval means for data, display means for selection
menus, audio production means for playing recordings,
and a user interface enabling patrons to communicate

10 with the processor means; and

updating each computer jukebox's library of musical recordings by loading new musical recordings into the storage and retrieval means of each computer jukebox.

2. The method of managing a plurality of computer jukeboxes as defined in claim 1, further comprising:

providing a plurality of computer jukeboxes at different locations, each computer jukebox including a converter for communicating via a transmission link;

providing a central control device (CCD), wherein the CCD is a computer including a converter; connecting the plurality of computer

25 jukeboxes via the transmission link to the CCD; and

12

communicating data between the CCD and the plurality of computer jukeboxes at different locations via the transmission link.

3. The method of managing a plurality of computer jukeboxes at different locations as defined in claim 2, wherein the communicating data includes downloading musical recording data from the CCD to each computer jukebox.

10

- 4. The method of managing a plurality of computer jukeboxes at different locations as defined in claim 2, wherein the communicating data includes uploading computer jukebox usage data from each computer jukebox to the CCD.
- The method of managing a plurality of computer jukeboxes at different locations as defined in claim 2, wherein the communicating data includes
 selection menus that are presented on the display means whereby the patrons choose recordings to be played by the computer jukeboxes.
- 6. The method of managing a plurality of computer jukeboxes at different locations as defined

PCT/US91/03925

in claim 2, wherein the communicating data is stored and transferred digitally.

7. The method of managing a plurality of
5 computer jukeboxes at different locations as defined
in claim 2, wherein the communicating data includes
number of credits awarded to the computer jukebox and
number of times each musical recording has been played
by the computer jukebox.

10

8. The method of managing a plurality of computer jukeboxes at different locations as defined in claim 2, wherein the transmission link is non-dedicated public telephone lines.

15

- 9. The method of managing a plurality of computer jukeboxes at different locations as defined in claim 8, wherein the converters are modems.
- 20 10. The method of managing a plurality of computer jukeboxes at different locations as defined in claim 9, wherein software controlling the CCD directs the CCD to communicate with each computer jukebox during off-hours of establishments in which the computer jukeboxes are located, whereby

•

14

communicating data during the off-hours avoids interference with the establishments' use of their own phone lines.

5 11. A system for managing a plurality of computer jukeboxes, comprising:

said computer jukeboxes including processor
means for substantially controlling the computer
jukeboxes, storage and retrieval means for data,

display means for selection menus, audio production
means for playing recordings, and a user interface
enabling patrons to communicate with the processor
means; and

loading musical recording data into the

15 storage and retrieval means for data of each computer
jukebox.

12. A system for managing a plurality of computer jukeboxes as defined in claim 11, further 20 comprising:

said plurality of computer jukeboxes are at different remote locations and the computer jukeboxes further include converters for communicating via a transmission link;

15

a central control device (CCD), wherein the CCD is a computer including a converter; and said transmission link enabling the CCD and the plurality of computer jukeboxes to communicate data to each other.

- 13. The system for managing a plurality of computer jukeboxes at different locations as defined in claim 12, wherein communicated data includes
 10 musical recording data which is downloaded from the CCD to each computer jukebox.
- 14. The system for managing a plurality of computer jukeboxes at different locations as defined in claim 12, wherein communicated data includes computer jukebox usage data which is uploaded from each computer jukebox to the CCD.
- 15. The system for managing a plurality of
 20 computer jukeboxes at different locations as defined
 in claim 12, wherein communicated data includes
 selection menus that are presented on the display
 means whereby the patrons choose recordings to be
 played by the computer jukebox.

16

16. The system for managing a plurality of computer jukeboxes at different locations as defined in claim 12, wherein communicated data is stored and transferred digitally.

5


- 17. The system for managing a plurality of computer jukeboxes located at different locations as defined in claim 12, wherein communicated data includes:
- number of credits awarded to a computer jukebox; and

number of times each musical recording has been played by a computer jukebox.

- 18. The system for managing a plurality of computer jukeboxes at different locations as defined in claim 12, wherein the transmission link is non-dedicated public telephone lines.
- 20 19. The system for managing a plurality of computer jukeboxes at different locations as defined in claim 18, wherein the converters are modems.
- 20. The system for managing a plurality of25 computer jukeboxes at different locations as defined

17

in claim 19, wherein software controlling the CCD directs the CCD to communicate with each computer jukebox during off-hours of establishments in which the computer jukeboxes are located, and whereby communicating data during the off-hours avoids interference with the establishments' use of their own phone lines.



INTERNATIONAL SEARCH REPORT

International Application No.PCT/US91/03925_

I. CLASSIFICATION OF SUBJECT MATTER (if several classification symbols apply, indicate all) 6										
According to International Patent Classification (IPC) or to both National Classification and IPC										
IPC(5) G11B 31/00										
II. FIELDS SEARCHED Minimum Documentation Searched 7										
Classificatio	Classification System		assification Symbols							
U.S. CL.		3 69/15,84,85,29,30,69.92 364/478,479,410:84/25, DI								
Documentation Searched other than Minimum Documentation to the Extent that such Documents are included in the Fields Searched a										
III. DOCU	Relevant to Claim No. 13									
Category *	Citat	ion of Document, 11 with indication, where appro	priate, of the relevant passages							
Y	US, A, 4,335,809 (WAIN) 22 JUNE 1982 (SEE COLUMN 5 LINE 21-COLUMN 6 LINE 62, FIGURE 1 AND COLUMN 2 LINES 22-50) 1-20									
Y	US, A	A, 4,232,295 (McCONNELL) 04 RE 1)	1-20							
Y	GB, A	A, 2,170,943 (TODD) 13 AUGU 6 COLUMN 2 LINE 28)	1-20							
Y,P	US, A, 4,937,807 (WEITZ) 26 JUNE 1990 (SEE SUMMARY OF INVENTORY, COLUMN 7 LINES 28-58 AND COLUMN 1 LINE 52 COLUMN 2 LINE 4)									
Y	US, A 9 LIN	, 4,811,325 (SHARPLES) 07.1 E 36-COLUMN 10 LINE 41)	}1÷20							
• Fansi	al catagoris	es of cited documents: 10	"T" later document published after to priority date and not in confi	he international filing date						
"A" do cor "E" ear	e or theory underlying the ce; the claimed invention cannot be considered to									
"L" do wh cit: "O" do	ce; the claimed invention an inventive step when the									
"O" do oti "P" do lat	obvious to a person skilled patent family									
IV. CER	IV. CERTIFICATION Date of the Actual Completion of the International Search Date of Mailing of this international Search OCT 4006									
1	OULY 19	01 OCT 1991								
		ing Authority	Signature of Authorized Officer 18 MA 18 PLAYER NGUYEN NGCC-HO							
ISA/US GAIL O. HAYESINTERNATIONALDIVISI										